

Product data sheet

Specifications



Accessory, watertight hub, Safety Switch, 3.0 in hub, zinc plated

H300-SQD

Product availability: Stock - Normally stocked in distribution facility

Main

Range of Product	HX00 Series
Product or Component Type	Sensor
Sensor Model	H300
Type of Measurement	AC Current
Device Application	Building Automation Systems
Current Measurement Range	0.15-60 A
Sensor Type	Current switch, AC
AWG Gauge	AWG 24...AWG 14
Network Frequency	50-60 Hz
Opening Width	0.3 in (8 mm)
Mounting Support	Split core housing
Relative Humidity	10...90 % RH, non-condensing
Output Current	1 A at 30 V AC/DC
Output Type	Switch Output
Product Certifications	UL CE
Setpoint	Yes

Environment

Ambient Air Temperature for Operation	5...140 °F (-15...60 °C)
---------------------------------------	--------------------------

Ordering and shipping details

Category	US10DE100120
Discount Schedule	0DE1
GTIN	785901478379
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.56 in (6.5 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	4.13 in (10.5 cm)
Package 1 Length	4.13 in (10.5 cm)
Package weight(Lbs)	2.460 lb(US) (1.116 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No