

Product data sheet

Specifications



Handles and front plates, TeSys Control, black handle, black front, 1-3 padlocking, 4 screws fixing, for VN12/ VN20/V02-V2

KAF1PZ

Main

Range	TeSys
Device short name	KAF1
Product or component type	Rotary handle
Product compatibility	VN20 VN12 V02...V2
Handle colour	Black

Complementary

Handle front plate colour	Black
Rotary handle padlocking	1 to 3 padlocks 4...8 mm
Marking	0 - 1
Fixing mode	By 4 screws
handle front plate dimension	60 x 60 mm
Height	60 mm
Width	60 mm
Net weight	0.075 kg

Environment

IP degree of protection	IP65
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.800 cm
Package 1 Width	6.500 cm
Package 1 Length	6.500 cm
Package 1 Weight	69.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	45
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	3.671 kg
Unit Type of Package 3	P06
Number of Units in Package 3	360
Package 3 Height	75.000 cm
Package 3 Width	60.000 cm
Package 3 Length	80.000 cm
Package 3 Weight	38.220 kg

Contractual warranty

Warranty	18 months
----------	-----------

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Total lifecycle Carbon footprint	30

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Antimony oxide & Antimony trioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins