

Product data sheet

Specifications



Compartmentalized Meter-Pak, 2 sockets, no bypass, 5 jaws, 400A bus, 200A max breaker rating, ringless

MPCR42200

Product availability: Stock - Normally stocked in distribution facility

Main

Socket Rating	200 A
Main Type	Main Lugs
Number of Jaws	5
Number of Meter Sockets	2
Socket Type	Ringless

Complementary

Main Rating	400 A
Bus Rating	400 A
Certifications	UL Listed
Bypass Type	No bypass
Enclosure Material	Steel
Enclosure Rating	NEMA 3R
Mounting	Surface
Phase	1 phase
Wire Configuration	3-wire
Height	43.41 in (1102.61 mm)
Width	32.44 in (823.98 mm)
Depth	8.28 in (210.31 mm)

Ordering and shipping details

Category	US10DE400021
Discount Schedule	0DE4
GTIN	3606487956082
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	8.28 in (21.03 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	32.4 in (82.4 cm)
Package 1 Length	43.41 in (110.26 cm)
Package weight(Lbs)	99.010 lb(US) (44.91 kg)



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	339 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	274 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	5 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	60 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel (Metallic), which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov
PVC free	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again




Repack and remanufacture

Recyclability potential, in %	95
Circularity Profile	No need of specific recycling operations
Removable battery	No
Take-back	No

Technical Illustration

Dimensions



NOTES:

Technical Illustration

Wiring diagram




Image of product / Alternate images

Alternative



