



# Panelboard accessory, NF, installation kit, main breaker, 400A, LAL/LHL

N400M

Product availability: Stock - Normally stocked in distribution facility

### Main

Product	Installation kit	
Accessory / separate part category	Installation accessory	
Provided equipment	Cover plate 1 Mounting plate 1 Bracket for support 2 Screw set 1 Connector 3 Rail extension 2 Rail splice 2 Label 1 Washer 3	
Circuit breaker type	LI (factory assembled only) LC (factory assembled only) LAL LHL	

## Complementary

Device Application	circuit breaker 400 A	
Tightening torque	249.6275.3 lbf.in (28.231.1 N.m)	

## **Environment**

Product Certifications cULus

# Ordering and shipping details

Category	US1PE1A08338	
Discount Schedule	PE1A	
GTIN	785901787617	
Returnability	Yes	

# **Packing Units**

Unit Type of Package 1	PCE	
Nbr. of units in pkg.	1	
Package 1 Height	2.80 in (7.1 cm)	
Package 1 Width	14.49 in (36.8 cm)	
Package 1 Length	25.51 in (64.8 cm)	
Package weight(Lbs)	13.49 lb(US) (6.12 kg)	

# **Contractual warranty**

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Warranty

18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

#### **Use Better**

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

#### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No