

Product data sheet

Specifications

SQUARE D



Panelboard enclosure cover, NQ/NF, Type 1, surface, for 20in W x 26in H box

NC26S

Product availability: Stock - Normally stocked in distribution facility

Main

| | |
|------------|---------------|
| Product | Surface cover |
| Color | Gray |
| Cover type | Surface cover |

Complementary

| | |
|-------------------|----------------------|
| Material | Steel |
| Height | 26.12 in (663.45 mm) |
| Width | 20.12 in (511.05 mm) |
| Tightening torque | Cover 10...12 lb.in |

Environment

| | |
|------------------------|--------|
| Enclosure Rating | NEMA 1 |
| Product Certifications | cULus |

Ordering and shipping details

| | |
|-------------------|--------------|
| Category | US1PE1A08352 |
| Discount Schedule | PE1A |
| GTIN | 785901798828 |
| Returnability | Yes |
| Country of origin | VN |

Packing Units

| | |
|------------------------------|--------------------------|
| Unit Type of Package 1 | PCE |
| Nbr. of units in pkg. | 1 |
| Package 1 Height | 2.00 in (5.08 cm) |
| Package 1 Width | 22.00 in (55.88 cm) |
| Package 1 Length | 28.00 in (71.12 cm) |
| Package weight(Lbs) | 15.399 lb(US) (6.985 kg) |
| Unit Type of Package 2 | PAL |
| Number of Units in Package 2 | 36 |
| Package 2 Height | 39.00 in (99.06 cm) |
| Package 2 Width | 42.00 in (106.68 cm) |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

| | |
|-------------------------|-------------------------------|
| Package 2 Length | 42.00 in (106.68 cm) |
| Package 2 Weight | 527.00004 lb(US) (239.043 kg) |

Contractual warranty

| | |
|-----------------|-----------|
| Warranty | 18 months |
|-----------------|-----------|



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

California proposition 65

WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture

Circularity Profile


No need of specific recycling operations

Take-back

No

Technical Illustration

Dimensions



| CATALOG NUMBER | A | | B | | C | |
|----------------|------|-------|------|-------|------|-----|
| | IN | MM | IN | MM | IN | MM |
| NC26S 26-12 | 0.60 | 15.25 | 4.38 | 110.8 | 8.18 | 208 |
| NC27S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC28S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC29S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC30S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC31S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC32S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC33S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC34S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC35S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC36S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC37S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC38S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC39S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC40S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC41S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC42S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC43S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC44S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC45S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC46S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC47S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC48S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC49S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC50S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC51S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC52S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC53S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC54S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC55S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC56S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC57S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC58S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC59S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC60S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC61S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC62S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC63S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC64S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC65S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC66S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC67S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC68S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC69S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC70S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC71S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC72S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC73S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC74S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC75S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC76S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC77S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC78S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC79S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC80S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC81S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC82S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC83S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC84S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC85S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC86S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC87S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC88S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC89S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC90S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC91S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC92S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC93S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC94S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC95S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC96S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC97S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC98S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC99S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |
| NC100S 26-12 | 0.68 | 17.25 | 4.50 | 114.3 | 8.18 | 208 |

ALL DIMENSIONS ARE APPROXIMATE. ALSO REFER TO CAD, TECHNICAL DRAWINGS, AND DOCUMENTATION.