

# Product data sheet

Specifications

SQUARE D



## Panelboard enclosure cover, NQ/NF, Type 1, surface, for 20in W x 50in H box

NC50S

Product availability: Stock - Normally stocked in distribution facility

### Main

Product	Surface cover
Color	Gray
Cover type	Surface cover

### Complementary

Material	Steel
Height	50.12 in (1273.05 mm)
Width	20.12 in (511.05 mm)
Tightening torque	Cover 10...12 lb.in

### Environment

Enclosure Rating	NEMA 1
Product Certifications	cULus

### Ordering and shipping details

Category	US1PE1A08352
Discount Schedule	PE1A
GTIN	785901798903
Returnability	Yes
Country of origin	VN

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	2.00 in (5.08 cm)
Package 1 Width	22.30 in (56.642 cm)
Package 1 Length	51.50 in (130.81 cm)
Package weight(Lbs)	26.28 lb(US) (11.92 kg)

### Contractual warranty

Warranty	18 months
----------	-----------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

EU RoHS Directive

Not applicable, out of EU RoHS legal scope

California proposition 65

**WARNING:** This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Use Again

### Repack and remanufacture

Circularity Profile


No need of specific recycling operations

Take-back

No

Technical Illustration

Dimensions



CATALOG NUMBER	A		B		C	
	IN	MM	IN	MM	IN	MM
NC50S 20.12	8.63	217.30	4.38	110.8	8.18	208
NC50S 25.12	8.68	220.30	4.50	114.3	8.18	208
NC50S 30.12	9.68	246.30	3.94	100.0	10.18	259
NC50S 40.12	11.21	284.30	3.07	77.8	10.18	259
NC50S 50.12	12.12	307.30	3.00	76.2	10.18	259
NC50S 58.12	14.25	361.30	3.12	79.2	10.18	259
NC50S 60.12	15.78	400.30	3.04	77.2	10.18	259
NC50S 68.12	17.20	436.30	3.18	80.8	10.18	259
NC50S 75.12	18.63	473.30	3.09	78.3	10.18	259
NC50S 80.12	20.05	509.30	3.01	76.8	10.18	259
NC50P 20.52	8.68	220.30	4.50	114.3	8.18	208
NC50P 25.52	8.61	217.30	4.50	114.3	8.18	208
NC50P 30.52	10.04	255.30	3.94	100.0	10.18	259
NC50P 40.52	11.56	292.30	3.07	77.8	10.18	259
NC50P 50.52	12.99	329.30	3.00	76.2	10.18	259
NC50P 57.52	14.61	370.30	3.12	79.2	10.18	259
NC50P 63.52	16.12	409.30	3.04	77.2	10.18	259
NC50P 69.52	17.65	448.30	3.18	80.8	10.18	259
NC50P 75.52	19.18	487.30	3.09	78.3	10.18	259
NC50P 81.52	20.71	526.30	3.01	76.8	10.18	259
NC50S 68.12	21.87	555.30	3.18	80.8	8.18	208
NC50P 67.52	20.71	526.30	3.18	80.8	8.18	208
NC50S 35.12	8.60	218.30	4.50	114.3	10.68	271
NC50P 30.52	8.68	220.30	4.50	114.3	10.68	271
NC50S 40.12	10.44	265.30	3.01	76.8	13.68	347
NC50P 40.52	10.80	274.30	3.01	76.8	13.68	347
NC50S 40.12	12.40	314.30	3.18	80.8	10.18	259

ALL DIMENSIONS ARE APPROXIMATE.  
ALSO REFER TO CAD, TECHNICAL DRAWINGS, AND DOCUMENTATION.