

# Product data sheet

Specifications

SQUARE D



## Panelboard enclosure cover, NQ/ NF, Type 1, flush, for 20in W x 62in H box

NC62F

**Product availability: Stock - Normally stocked in distribution facility**

### Main

Product	Flush cover
Color	Gray
Cover type	Flush cover

### Complementary

Material	Steel
Height	63.52 in (1613.41 mm)
Width	21.52 in (546.61 mm)
Tightening torque	Cover 10...12 lb.in

### Environment

Enclosure Rating	NEMA 1
Product Certifications	cULus

### Ordering and shipping details

Category	US1PE1A08352
Discount Schedule	PE1A
GTIN	785901159124
Returnability	Yes
Country of origin	US

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.90 in (4.826 cm)
Package 1 Width	22.00 in (55.880 cm)
Package 1 Length	63.80 in (162.052 cm)
Package weight(Lbs)	34.000 lb(US) (15.422 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	8
Package 2 Height	40.00 in (101.600 cm)
Package 2 Width	36.00 in (91.440 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

<b>Package 2 Length</b>	48.00 in (121.920 cm)
<b>Package 2 Weight</b>	272.000 lb(US) (123.377 kg)

---

## **Contractual warranty**

---

<b>Warranty</b>	18 months
-----------------	-----------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

California proposition 65

**WARNING:** This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## Use Again

### Repack and remanufacture

Circularity Profile


No need of specific recycling operations

Take-back

No

Technical Illustration

Dimensions



CATALOG NUMBER	A		B		C	
	IN	MM	IN	MM	IN	MM
NC62S 26.12	8.63	217.32	4.38	110.8	8.18	208
NC62F 26.12	8.68	220.32	4.52	114.8	8.18	208
NC62S 38.12	9.68	245.32	4.74	120.8	8.18	208
NC62F 38.12	9.73	248.32	4.88	124.8	8.18	208
NC62S 44.12	11.21	284.32	5.57	141.8	8.18	208
NC62F 44.12	11.26	287.32	5.71	145.8	8.18	208
NC62S 54.12	13.75	348.32	6.71	171.8	8.18	208
NC62F 54.12	13.80	351.32	6.85	175.8	8.18	208
NC62S 64.12	16.29	413.32	8.04	204.8	8.18	208
NC62F 64.12	16.34	416.32	8.18	208.8	8.18	208
NC62S 74.12	18.83	475.32	9.38	238.8	8.18	208
NC62F 74.12	18.88	478.32	9.52	242.8	8.18	208
NC62S 84.12	21.37	539.32	10.71	271.8	8.18	208
NC62F 84.12	21.42	542.32	10.85	275.8	8.18	208
NC62S 94.12	23.91	603.32	12.15	307.8	8.18	208
NC62F 94.12	23.96	606.32	12.29	311.8	8.18	208
NC62S 104.12	26.45	665.32	13.49	343.8	8.18	208
NC62F 104.12	26.50	668.32	13.63	347.8	8.18	208
NC62S 114.12	28.99	726.32	14.83	377.8	8.18	208
NC62F 114.12	29.04	729.32	14.97	381.8	8.18	208
NC62S 124.12	31.53	787.32	16.17	411.8	8.18	208
NC62F 124.12	31.58	790.32	16.31	415.8	8.18	208
NC62S 134.12	34.07	848.32	17.51	445.8	8.18	208
NC62F 134.12	34.12	851.32	17.65	449.8	8.18	208
NC62S 144.12	36.56	907.32	18.75	475.8	8.18	208
NC62F 144.12	36.61	910.32	18.89	479.8	8.18	208
NC62S 154.12	39.10	965.32	20.05	509.8	8.18	208
NC62F 154.12	39.15	968.32	20.19	513.8	8.18	208
NC62S 164.12	41.59	1020.32	21.25	539.8	8.18	208
NC62F 164.12	41.64	1023.32	21.39	543.8	8.18	208
NC62S 174.12	44.08	1075.32	22.45	569.8	8.18	208
NC62F 174.12	44.13	1078.32	22.59	573.8	8.18	208
NC62S 184.12	46.52	1127.32	23.59	599.8	8.18	208
NC62F 184.12	46.57	1130.32	23.73	603.8	8.18	208
NC62S 194.12	48.96	1179.32	24.85	629.8	8.18	208
NC62F 194.12	49.01	1182.32	24.99	633.8	8.18	208
NC62S 204.12	51.40	1227.32	25.95	655.8	8.18	208
NC62F 204.12	51.45	1230.32	26.09	659.8	8.18	208
NC62S 214.12	53.84	1274.32	27.05	681.8	8.18	208
NC62F 214.12	53.89	1277.32	27.19	685.8	8.18	208
NC62S 224.12	56.28	1319.32	28.07	707.8	8.18	208
NC62F 224.12	56.33	1322.32	28.21	711.8	8.18	208
NC62S 234.12	58.67	1363.32	29.01	729.8	8.18	208
NC62F 234.12	58.72	1366.32	29.15	733.8	8.18	208
NC62S 244.12	61.11	1403.32	29.79	751.8	8.18	208
NC62F 244.12	61.16	1406.32	29.93	755.8	8.18	208
NC62S 254.12	63.55	1441.32	30.53	769.8	8.18	208
NC62F 254.12	63.60	1444.32	30.67	773.8	8.18	208
NC62S 264.12	65.99	1476.32	31.11	783.8	8.18	208
NC62F 264.12	66.04	1479.32	31.25	787.8	8.18	208
NC62S 274.12	68.43	1507.32	31.69	797.8	8.18	208
NC62F 274.12	68.48	1510.32	31.83	801.8	8.18	208
NC62S 284.12	70.87	1539.32	32.27	811.8	8.18	208
NC62F 284.12	70.92	1542.32	32.41	815.8	8.18	208
NC62S 294.12	73.31	1567.32	32.81	827.8	8.18	208
NC62F 294.12	73.36	1570.32	32.95	831.8	8.18	208
NC62S 304.12	75.75	1592.32	33.25	837.8	8.18	208
NC62F 304.12	75.80	1595.32	33.39	841.8	8.18	208
NC62S 314.12	78.19	1617.32	33.65	847.8	8.18	208
NC62F 314.12	78.24	1620.32	33.79	851.8	8.18	208
NC62S 324.12	80.63	1639.32	34.11	859.8	8.18	208
NC62F 324.12	80.68	1642.32	34.25	863.8	8.18	208
NC62S 334.12	83.07	1657.32	34.41	867.8	8.18	208
NC62F 334.12	83.12	1660.32	34.55	871.8	8.18	208
NC62S 344.12	85.51	1672.32	34.71	875.8	8.18	208
NC62F 344.12	85.56	1675.32	34.85	879.8	8.18	208
NC62S 354.12	87.95	1683.32	34.97	881.8	8.18	208
NC62F 354.12	88.00	1686.32	35.11	885.8	8.18	208
NC62S 364.12	90.39	1691.32	35.19	883.8	8.18	208
NC62F 364.12	90.44	1694.32	35.33	887.8	8.18	208
NC62S 374.12	92.83	1697.32	35.35	883.8	8.18	208
NC62F 374.12	92.88	1700.32	35.49	887.8	8.18	208
NC62S 384.12	95.27	1703.32	35.47	883.8	8.18	208
NC62F 384.12	95.32	1706.32	35.61	887.8	8.18	208
NC62S 394.12	97.71	1706.32	35.53	883.8	8.18	208
NC62F 394.12	97.76	1709.32	35.67	887.8	8.18	208
NC62S 404.12	100.15	1703.32	35.47	883.8	8.18	208
NC62F 404.12	100.20	1706.32	35.61	887.8	8.18	208
NC62S 414.12	102.59	1700.32	35.41	879.8	8.18	208
NC62F 414.12	102.64	1703.32	35.55	883.8	8.18	208
NC62S 424.12	105.03	1697.32	35.35	875.8	8.18	208
NC62F 424.12	105.08	1699.32	35.49	879.8	8.18	208
NC62S 434.12	107.47	1694.32	35.27	871.8	8.18	208
NC62F 434.12	107.52	1697.32	35.41	875.8	8.18	208
NC62S 444.12	109.91	1691.32	35.19	867.8	8.18	208
NC62F 444.12	109.96	1694.32	35.33	871.8	8.18	208
NC62S 454.12	112.35	1688.32	35.11	859.8	8.18	208
NC62F 454.12	112.40	1691.32	35.25	863.8	8.18	208
NC62S 464.12	114.79	1685.32	34.97	851.8	8.18	208
NC62F 464.12	114.84	1688.32	35.11	855.8	8.18	208
NC62S 474.12	117.23	1680.32	34.71	837.8	8.18	208
NC62F 474.12	117.28	1683.32	34.85	841.8	8.18	208
NC62S 484.12	119.67	1672.32	34.41	819.8	8.18	208
NC62F 484.12	119.72	1675.32	34.55	823.8	8.18	208
NC62S 494.12	122.11	1663.32	34.07	799.8	8.18	208
NC62F 494.12	122.16	1666.32	34.21	803.8	8.18	208
NC62S 504.12	124.55	1651.32	33.65	775.8	8.18	208
NC62F 504.12	124.60	1654.32	33.79	779.8	8.18	208
NC62S 514.12	127.00	1639.32	33.25	747.8	8.18	208
NC62F 514.12	127.05	1642.32	33.39	751.8	8.18	208
NC62S 524.12	129.44	1624.32	32.79	711.8	8.18	208
NC62F 524.12	129.49	1627.32	32.93	715.8	8.18	208
NC62S 534.12	131.88	1611.32	32.27	671.8	8.18	208
NC62F 534.12	131.93	1614.32	32.41	675.8	8.18	208
NC62S 544.12	134.32	1597.32	31.71	631.8	8.18	208
NC62F 544.12	134.37	1600.32	31.85	635.8	8.18	208
NC62S 554.12	136.76	1582.32	31.07	587.8	8.18	208
NC62F 554.12	136.81	1585.32	31.21	591.8	8.18	208
NC62S 564.12	139.20	1567.32	30.41	547.8	8.18	208
NC62F 564.12	139.25	1570.32	30.55	551.8	8.18	208
NC62S 574.12	141.64	1551.32	29.63	503.8	8.18	208
NC62F 574.12	141.69	1554.32	29.77	507.8	8.18	208
NC62S 584.12	144.08	1535.32	28.85	459.8	8.18	208
NC62F 584.12	144.13	1538.32	28.99	463.8	8.18	208
NC62S 594.12	146.52	1517.32	27.95	411.8	8.18	208
NC62F 594.12	146.57	1520.32	28.09	415.8	8.18	208
NC62S 604.12	148.96	1499.32	26.95	363.8	8.18	208
NC62F 604.12	149.01	1502.32	27.09	367.8	8.18	208
NC62S 614.12	151.40	1481.32	25.91	315.8	8.18	208
NC62F 614.12	151.45	1484.32	26.05	319.8	8.18	208
NC62S 624.12	153.84	1463.32	24.85	267.8	8.18	208
NC62F 624.12	153.89	1466.32	24.99	271.8	8.18	208
NC62S 634.12	156.28	1441.32	23.71	215.8	8.18	208
NC62F 634.12	156.33	1444.32	23.85	219.8	8.18	208
NC62S 644.12	158.67	1417.32	22.45	163.8	8.18	208
NC62F 644.12	158.72	1420.32	22.59	167.8	8.18	208
NC62S 654.12	161.11	1393.32	21.11	111.8	8.18	208
NC62F 654.12	161.16	1396.32	21.25	115.8	8.18	208
NC62S 664.12	163.55	1371.32	19.67	55.8	8.18	208
NC62F 664.12	163.60	1374.32	19.81	59.8	8.18	208

ALL DIMENSIONS ARE APPROXIMATE.  
ALSO REFER TO CAD, TECHNICAL DRAWINGS, AND DOCUMENTATION.