

Product data sheet

Specifications

SQUARE D



Panelboard enclosure cover, NQ/ NF, Type 1, surface, for 20in W x 62in H box

NC62S

Product availability: Stock - Normally stocked in distribution facility

Main

Product	Surface cover
Color	Gray
Cover type	Surface cover

Complementary

Material	Steel
Height	62.12 in (1577.85 mm)
Width	20.12 in (511.05 mm)
Tightening torque	Cover 10...12 lb.in

Environment

Enclosure Rating	NEMA 1
Product Certifications	cULus

Ordering and shipping details

Category	US1PE1A08352
Discount Schedule	PE1A
GTIN	785901396864
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.81 in (4.6 cm)
Package 1 Width	22.01 in (55.9 cm)
Package 1 Length	63.82 in (162.1 cm)
Package weight(Lbs)	43.001 lb(US) (19.505 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

[Environmental Disclosure](#)[Product Environmental Profile](#)

Use Better


 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions



CATALOG NUMBER	A		B		C	
	IN	MM	IN	MM	IN	MM
NC62S	26.12	663	17.70	438	8.06	194
NC62S	30.12	768	23.70	602	9.16	233
NC62S	36.12	918	29.70	754	10.16	259
NC62S	44.12	1121	35.70	907	10.16	259
NC62S	50.12	1271	41.70	1059	10.16	259
NC62S	58.12	1475	47.70	1212	10.16	257
NC62S	66.12	1679	53.70	1364	10.16	257
NC62S	74.12	1883	59.70	1516	10.16	257
NC62S	82.12	2087	65.70	1668	10.16	256
NC62S	90.12	2291	71.70	1821	10.16	256
NC62S	98.12	2495	77.70	1973	10.16	256
NC62S	106.12	2699	83.70	2125	10.16	256
NC62S	114.12	2903	89.70	2277	10.16	256
NC62S	122.12	3107	95.70	2429	10.16	256
NC62S	130.12	3311	101.70	2581	10.16	256
NC62S	138.12	3515	107.70	2733	10.16	256
NC62S	146.12	3719	113.70	2885	10.16	256
NC62S	154.12	3923	119.70	3037	10.16	256
NC62S	162.12	4127	125.70	3189	10.16	256
NC62S	170.12	4331	131.70	3341	10.16	256
NC62S	178.12	4535	137.70	3493	10.16	256
NC62S	186.12	4739	143.70	3645	10.16	256
NC62S	194.12	4943	149.70	3797	10.16	256
NC62S	202.12	5147	155.70	3949	10.16	256
NC62S	210.12	5351	161.70	4101	10.16	256
NC62S	218.12	5555	167.70	4253	10.16	256
NC62S	226.12	5759	173.70	4405	10.16	256
NC62S	234.12	5963	179.70	4557	10.16	256
NC62S	242.12	6167	185.70	4709	10.16	256
NC62S	250.12	6371	191.70	4861	10.16	256
NC62S	258.12	6575	197.70	5013	10.16	256
NC62S	266.12	6779	203.70	5165	10.16	256
NC62S	274.12	6983	209.70	5317	10.16	256
NC62S	282.12	7187	215.70	5469	10.16	256
NC62S	290.12	7391	221.70	5621	10.16	256
NC62S	298.12	7595	227.70	5773	10.16	256
NC62S	306.12	7799	233.70	5925	10.16	256
NC62S	314.12	8003	239.70	6077	10.16	256
NC62S	322.12	8207	245.70	6229	10.16	256
NC62S	330.12	8411	251.70	6381	10.16	256
NC62S	338.12	8615	257.70	6533	10.16	256
NC62S	346.12	8819	263.70	6685	10.16	256
NC62S	354.12	9023	269.70	6837	10.16	256
NC62S	362.12	9227	275.70	6989	10.16	256
NC62S	370.12	9431	281.70	7141	10.16	256
NC62S	378.12	9635	287.70	7293	10.16	256
NC62S	386.12	9839	293.70	7445	10.16	256
NC62S	394.12	10043	299.70	7597	10.16	256
NC62S	402.12	10247	305.70	7749	10.16	256
NC62S	410.12	10451	311.70	7901	10.16	256
NC62S	418.12	10655	317.70	8053	10.16	256
NC62S	426.12	10859	323.70	8205	10.16	256
NC62S	434.12	11063	329.70	8357	10.16	256
NC62S	442.12	11267	335.70	8509	10.16	256
NC62S	450.12	11471	341.70	8661	10.16	256
NC62S	458.12	11675	347.70	8813	10.16	256
NC62S	466.12	11879	353.70	8965	10.16	256
NC62S	474.12	12083	359.70	9117	10.16	256
NC62S	482.12	12287	365.70	9269	10.16	256
NC62S	490.12	12491	371.70	9421	10.16	256
NC62S	498.12	12695	377.70	9573	10.16	256
NC62S	506.12	12899	383.70	9725	10.16	256
NC62S	514.12	13103	389.70	9877	10.16	256
NC62S	522.12	13307	395.70	10029	10.16	256
NC62S	530.12	13511	401.70	10181	10.16	256
NC62S	538.12	13715	407.70	10333	10.16	256
NC62S	546.12	13919	413.70	10485	10.16	256
NC62S	554.12	14123	419.70	10637	10.16	256
NC62S	562.12	14327	425.70	10789	10.16	256
NC62S	570.12	14531	431.70	10941	10.16	256
NC62S	578.12	14735	437.70	11093	10.16	256
NC62S	586.12	14939	443.70	11245	10.16	256
NC62S	594.12	15143	449.70	11397	10.16	256
NC62S	602.12	15347	455.70	11549	10.16	256
NC62S	610.12	15551	461.70	11701	10.16	256
NC62S	618.12	15755	467.70	11853	10.16	256
NC62S	626.12	15959	473.70	12005	10.16	256
NC62S	634.12	16163	479.70	12157	10.16	256
NC62S	642.12	16367	485.70	12309	10.16	256
NC62S	650.12	16571	491.70	12461	10.16	256
NC62S	658.12	16775	497.70	12613	10.16	256
NC62S	666.12	16979	503.70	12765	10.16	256
NC62S	674.12	17183	509.70	12917	10.16	256
NC62S	682.12	17387	515.70	13069	10.16	256
NC62S	690.12	17591	521.70	13221	10.16	256
NC62S	698.12	17795	527.70	13373	10.16	256
NC62S	706.12	17999	533.70	13525	10.16	256
NC62S	714.12	18203	539.70	13677	10.16	256
NC62S	722.12	18407	545.70	13829	10.16	256
NC62S	730.12	18611	551.70	13981	10.16	256
NC62S	738.12	18815	557.70	14133	10.16	256
NC62S	746.12	19019	563.70	14285	10.16	256
NC62S	754.12	19223	569.70	14437	10.16	256
NC62S	762.12	19427	575.70	14589	10.16	256
NC62S	770.12	19631	581.70	14741	10.16	256
NC62S	778.12	19835	587.70	14893	10.16	256
NC62S	786.12	20039	593.70	15045	10.16	256
NC62S	794.12	20243	599.70	15197	10.16	256
NC62S	802.12	20447	605.70	15349	10.16	256
NC62S	810.12	20651	611.70	15501	10.16	256
NC62S	818.12	20855	617.70	15653	10.16	256
NC62S	826.12	21059	623.70	15805	10.16	256
NC62S	834.12	21263	629.70	15957	10.16	256
NC62S	842.12	21467	635.70	16109	10.16	256
NC62S	850.12	21671	641.70	16261	10.16	256
NC62S	858.12	21875	647.70	16413	10.16	256
NC62S	866.12	22079	653.70	16565	10.16	256
NC62S	874.12	22283	659.70	16717	10.16	256
NC62S	882.12	22487	665.70	16869	10.16	256
NC62S	890.12	22691	671.70	17021	10.16	256
NC62S	898.12	22895	677.70	17173	10.16	256
NC62S	906.12	23099	683.70	17325	10.16	256
NC62S	914.12	23303	689.70	17477	10.16	256
NC62S	922.12	23507	695.70	17629	10.16	256
NC62S	930.12	23711	701.70	17781	10.16	256
NC62S	938.12	23915	707.70	17933	10.16	256
NC62S	946.12	24119	713.70	18085	10.16	256
NC62S	954.12	24323	719.70	18237	10.16	256
NC62S	962.12	24527	725.70	18389	10.16	256
NC62S	970.12	24731	731.70	18541	10.16	256
NC62S	978.12	24935	737.70	18693	10.16	256
NC62S	986.12	25139	743.70	18845	10.16	256
NC62S	994.12	25343	749.70	18997	10.16	256
NC62S	1002.12	25547	755.70	19149	10.16	256
NC62S	1010.12	25751	761.70	19301	10.16	256
NC62S	1018.12	25955	767.70	19453	10.16	256
NC62S	1026.12	26159	773.70	19605	10.16	256
NC62S	1034.12	26363	779.70	19757	10.16	256
NC62S	1042.12	26567	785.70	19909	10.16	256
NC62S	1050.12	26771	791.70	20061	10.16	256
NC62S	1058.12	26975	797.70	20213	10.16	256
NC62S	1066.12	27179	803.70	20365	10.16	256
NC62S	1074.12	27383	809.70	20517	10.16	256
NC62S	1082.12	27587	815.70	20669	10.16	256
NC62S	1090.12	27791	821.70	20821	10.16	256
NC62S	1098.12	27995	827.70	20973	10.16	256
NC62S	1106.12	28199	833.70	21125	10.16	256
NC62S	1114.12	28403	839.70	21277	10.16	256
NC62S	1122.12	28607	845.70	21429	10.16	256
NC62S	1130.12	28811	851.70	21581	10.16	256
NC62S	1138.12	29015	857.70	21733	10.16	256
NC62S	1146.12	29219	863.70	21885	10.16	256
NC62S	1154.12	29423	869.70	22037	10.16	256
NC62S	1162.12	29627	875.70	22189	10.16	256
NC62S	1170.12	29831	881.70	22341	10.16	256
NC62S	1178.12	30035	887.70	22493	10.16	256
NC62S	1186.12	30239	893.70	22645	10.16	256
NC62S	1194.12	30443	899.70	22797	10.16	256
NC62S	1202.12	30647	905.70	22949	10.16	256
NC62S	1210.12	30851	911.70	23101	10.16	256
NC62S	1218.12	31055	917.70	23253	10.16	256
NC62S	1226.12	31259	923.70	23405	10.16	256
NC62S	1234.12	31463	929.70	23557	10.16	256
NC62S	1242.12	31667	935.70	23709	10.16	256
NC62S	1250.12	31871	941.70	23861	10.16	256
NC62S	1258.12	32075	947.70	24013	10.16	256
NC62S	1266.12	32279	953.70	24165	10.16	256
NC62S	1274.12	32483	959.70	24317	10.16	256
NC62S	1282.12	32687	965.70	24469	10.16	256
NC62S	1290.12	32891	971.70	24621	10.16	256
NC62S	1298.12	33095	977.70	24773	10.16	256
NC62S	1306.12	33299	983.70	24925	10.16	256
NC62S	1314.12	33503	989.70	25077	10.16	256
NC62S	1322.12	33707	995.70	25229	10.16	256
NC62S	1330.12	33911	1001.70	25381	10.16	256
NC62S	1338.					