

Product data sheet

Specifications

SQUARE D



Panelboard enclosure cover, NQ/
NF, Type 1, flush, for 20in W x
74in H box

NC74F

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

Product	Flush cover
Color	Gray
Cover type	Flush cover

Complementary

Material	Steel
Height	75.52 in (1918.21 mm)
Width	21.52 in (546.61 mm)
Tightening torque	Cover 10...12 lb.in

Environment

Enclosure Rating	NEMA 1
Product Certifications	cULus

Ordering and shipping details

Category	US1PE1A08352
Discount Schedule	PE1A
GTIN	785901154334
Returnability	No
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.77 in (4.5 cm)
Package 1 Width	21.54 in (54.7 cm)
Package 1 Length	77.99 in (198.1 cm)
Package weight(Lbs)	52.007 lb(US) (23.59 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

 Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better


 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions



CATALOG NUMBER	A		B		C	
	IN	MM	IN	MM	IN	MM
NC100F	06.12	660	17.70	438	8.06	194
NC125F	06.12	616	23.70	602	9.16	233
NC150F	06.12	640	29.70	754	10.16	259
NC175F	06.12	1121	25.70	653	10.16	259
NC200F	06.12	1175	41.70	1059	10.16	259
NC250F	06.12	1425	47.70	1212	20.16	513
NC300F	06.12	1578	53.70	1364	24.16	614
NC400F	06.12	1732	59.70	1516	27.16	690
NC450F	06.12	1885	65.70	1669	30.16	766
NC500F	06.12	2039	71.70	1821	33.16	842
NC550F	07.52	696	17.70	438	8.06	194
NC600F	07.52	801	23.70	602	9.16	233
NC650F	07.52	1004	29.70	754	10.16	259
NC700F	07.52	1158	25.70	653	10.16	259
NC750F	07.52	1309	41.70	1059	10.16	259
NC800F	07.52	1461	47.70	1212	20.16	513
NC850F	07.52	1613	53.70	1364	24.16	614
NC900F	07.52	1765	59.70	1516	27.16	690
NC950F	07.52	1918	65.70	1669	30.16	766
NC1000F	07.52	2071	71.70	1821	33.16	842
NC1100F	08.12	2187	77.70	1974	36.16	918
NC1200F	08.12	2371	77.70	1974	36.16	918
NC1300F	08.12	2560	86.70	2196	39.16	995
NC1400F	08.12	2750	96.70	2449	42.16	1071
NC1500F	08.12	2944	106.70	2702	45.16	1147
NC1600F	08.12	3140	116.70	2955	48.16	1223

ALL DIMENSIONS ARE APPROXIMATE.
ALSO REFER TO CAD, TECHNICAL DRAWINGS, AND DOCUMENTATION.