

Product data sheet

Specifications

SQUARE D



Panelboard enclosure cover, NQ/
NF, Type 1, surface, for 20in W x
80in H box

NC80S

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

Product	Surface cover
Color	Gray
Cover type	Surface cover

Complementary

Material	Steel
Height	80.12 in (2035.05 mm)
Width	20.12 in (511.05 mm)
Device mounting	Surface
Tightening torque	Cover 10...12 lb.in

Environment

Enclosure Rating	NEMA 1
------------------	--------

Ordering and shipping details

Category	US1PE1A08352
Discount Schedule	PE1A
GTIN	785901868002
Returnability	No
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package weight(Lbs)	54.00007 lb(US) (24.494 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better


Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions



CATALOG NUMBER	A		B		C	
	IN	MM	IN	MM	IN	MM
NC10S	06.12	660	17.70	438	8.06	194
NC15S	10.12	818	23.70	602	9.16	232
NC20S	16.12	948	29.70	754	10.16	259
NC40S	44.12	1121	35.70	907	10.16	259
NC50S	50.12	1273	41.70	1059	10.16	259
NC60S	56.12	1425	47.70	1212	10.16	259
NC80S	66.12	1678	53.70	1364	10.16	259
NC100S	88.12	2237	59.70	1516	10.16	259
NC120S	104.12	2643	65.70	1668	10.16	259
NC140S	120.12	3049	71.70	1820	10.16	259
NC160S	136.12	3455	77.70	1972	10.16	259
NC180S	152.12	3861	83.70	2124	10.16	259
NC200S	168.12	4267	89.70	2276	10.16	259
NC220S	184.12	4673	95.70	2428	10.16	259
NC240S	200.12	5079	101.70	2580	10.16	259
NC260S	216.12	5485	107.70	2732	10.16	259
NC280S	232.12	5891	113.70	2884	10.16	259
NC300S	248.12	6297	119.70	3036	10.16	259
NC320S	264.12	6703	125.70	3188	10.16	259
NC340S	280.12	7109	131.70	3340	10.16	259
NC360S	296.12	7515	137.70	3492	10.16	259
NC380S	312.12	7921	143.70	3644	10.16	259
NC400S	328.12	8327	149.70	3796	10.16	259
NC420S	344.12	8733	155.70	3948	10.16	259
NC440S	360.12	9139	161.70	4100	10.16	259
NC460S	376.12	9545	167.70	4252	10.16	259
NC480S	392.12	9951	173.70	4404	10.16	259
NC500S	408.12	10357	179.70	4556	10.16	259
NC520S	424.12	10763	185.70	4708	10.16	259
NC540S	440.12	11169	191.70	4860	10.16	259
NC560S	456.12	11575	197.70	5012	10.16	259
NC580S	472.12	11981	203.70	5164	10.16	259
NC600S	488.12	12387	209.70	5316	10.16	259
NC620S	504.12	12793	215.70	5468	10.16	259
NC640S	520.12	13199	221.70	5620	10.16	259
NC660S	536.12	13605	227.70	5772	10.16	259
NC680S	552.12	14011	233.70	5924	10.16	259
NC700S	568.12	14417	239.70	6076	10.16	259
NC720S	584.12	14823	245.70	6228	10.16	259
NC740S	600.12	15229	251.70	6380	10.16	259
NC760S	616.12	15635	257.70	6532	10.16	259
NC780S	632.12	16041	263.70	6684	10.16	259
NC800S	648.12	16447	269.70	6836	10.16	259
NC820S	664.12	16853	275.70	6988	10.16	259
NC840S	680.12	17259	281.70	7140	10.16	259
NC860S	696.12	17665	287.70	7292	10.16	259
NC880S	712.12	18071	293.70	7444	10.16	259
NC900S	728.12	18477	299.70	7596	10.16	259
NC920S	744.12	18883	305.70	7748	10.16	259
NC940S	760.12	19289	311.70	7900	10.16	259
NC960S	776.12	19695	317.70	8052	10.16	259
NC980S	792.12	20101	323.70	8204	10.16	259
NC1000S	808.12	20507	329.70	8356	10.16	259

ALL DIMENSIONS ARE APPROXIMATE.
ALSO REFER TO CAD, TECHNICAL DRAWINGS, AND DOCUMENTATION.