

Product data sheet

Specifications

SQUARE D



Panelboard enclosure cover, NQ/
NF, Type 1, flush, for 20in W x
86in H box

NC86F

Product availability: Non-Stock - Not normally stocked in
distribution facility

Main

Product	Flush cover
Color	Gray
Cover type	Flush cover

Complementary

Material	Steel
Height	87.52 in (2223.008 mm)
Width	21.52 in (546.61 mm)
Device mounting	Flush
Tightening torque	Cover 10...12 lb.in

Environment

Enclosure Rating	NEMA 1
------------------	--------

Ordering and shipping details

Category	US1PE1A08352
Discount Schedule	PE1A
GTIN	785901914563
Returnability	No
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package weight(Lbs)	65.001 lb(US) (29.484 kg)

Contractual warranty

Warranty	18 months
----------	-----------

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better


 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

 Repack and remanufacture	
Take-back	No

Technical Illustration

Dimensions



CATALOG NUMBER	A		B		C	
	IN	MM	IN	MM	IN	MM
NC86S	26.12	663	17.70	450	8.10	206
NC87S	26.12	663	23.70	602	8.10	206
NC88S	26.12	663	29.70	754	10.10	257
NC89S	44.12	1121	25.70	653	10.10	257
NC90S	26.12	663	41.70	1060	10.10	257
NC91S	54.12	1375	41.70	1060	21.10	537
NC92S	69.12	1759	53.70	1368	24.10	614
NC93S	69.12	1759	59.70	1510	21.10	537
NC94S	74.12	1883	45.70	1159	20.10	510
NC95S	80.12	2030	71.70	1821	21.10	537
NC96F	27.52	700	17.70	450	8.10	206
NC97F	27.52	700	23.70	602	8.10	206
NC98F	27.52	700	29.70	754	10.10	257
NC99F	45.52	1156	25.70	653	10.10	257
NC00F	51.52	1308	41.70	1060	10.10	257
NC01F	57.52	1460	41.70	1060	21.10	537
NC02F	63.52	1612	53.70	1368	24.10	614
NC03F	69.52	1764	59.70	1510	21.10	537
NC04F	75.52	1916	45.70	1159	20.10	510
NC05F	81.52	2071	71.70	1821	21.10	537
NC06S	69.12	1759	73.70	1874	20.10	510
NC07F	67.52	1717	73.70	1874	20.10	510
NC08S	35.12	893	26.70	678	10.00	254
NC09F	35.52	903	26.70	678	10.00	254
NC10S	41.12	1044	32.70	831	13.00	330
NC11F	42.52	1080	32.70	831	13.00	330
NC12S	49.12	1245	43.70	1110	20.10	510

ALL DIMENSIONS ARE APPROXIMATE.
ALSO REFER TO CAD, TECHNICAL DRAWINGS, AND DOCUMENTATION.