

# Product data sheet

Specifications

SQUARE D



## Panelboard accessory, NF, lug kit, feed thru, 400A, AI

NF400FTL

Product availability: Stock - Normally stocked in distribution facility

### Main

|                    |   |
|--------------------|---|
| Product            | Lug kit   |
| Provided equipment | Screw set 1<br>Rail extension 2<br>Rail splice 2<br>Lug 4<br>Cover extension 1<br>Terminal shield 4 |

### Complementary

|                   |  |
|-------------------|--|
| Current Rating    | 400 A  |
| Tightening torque | 60.2...64.6 lbf.in (6.8...7.3 N.m) 0.08...0.6 in <sup>2</sup> (53.48...380 mm <sup>2</sup> ) (AWG 1/0...750 kcmil)<br>60.2...64.6 lbf.in (6.8...7.3 N.m) 0.08...0.3 in <sup>2</sup> (53.48...177.3 mm <sup>2</sup> ) (2 x 350 kcmil) |

### Environment

|                        |       |
|------------------------|-------|
| Product Certifications | cULus |
|------------------------|-------|

### Ordering and shipping details

|                   |              |
|-------------------|--------------|
| Category          | US1PE1A08338 |
| Discount Schedule | PE1A         |
| GTIN              | 785901538707 |
| Returnability     | Yes          |
| Country of origin | MX           |

### Packing Units

|                              |                         |
|------------------------------|-------------------------|
| Unit Type of Package 1       | PCE                     |
| Nbr. of units in pkg.        | 1                       |
| Package 1 Height             | 2.30 in (5.842 cm)      |
| Package 1 Width              | 14.60 in (37.084 cm)    |
| Package 1 Length             | 20.80 in (52.832 cm)    |
| Package weight(Lbs)          | 4.810 lb(US) (2.182 kg) |
| Unit Type of Package 2       | PAL                     |
| Number of Units in Package 2 | 12                      |
| Package 2 Height             | 40.00 in (101.600 cm)   |
| Package 2 Width              | 40.00 in (101.600 cm)   |
| Package 2 Length             | 48.00 in (121.920 cm)   |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Package 2 Weight 57.999 lb(US) (26.308 kg)

## Contractual warranty

---

Warranty 18 months

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

|  <b>Materials and Substances</b> |  |
|---|--|
| Packaging made with recycled cardboard  | No   |
| Packaging without single use plastic  | No   |
| <a href="#">EU RoHS Directive</a>   | Compliant  |
| REACH Regulation  | <a href="#">REACH Declaration</a>  |
| California proposition 65   | <b>WARNING:</b> This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

### Use Again

|  <b>Repack and remanufacture</b> |    |
|---|----|
| Take-back   | No |