

Product data sheet

Specifications

One double-profile mounting rail 35
x 15 2m for all enclosures supply: 20



NSYDPR200T

Main

Anwendung	Multi-purpose
Range	PanelSeT
Product or component type	Rail
Accessory / separate part category	Mounting accessory
Type of rail	Double-profile DIN
Enclosure nominal dimensions	-
Range compatibility	PanelSeT
Device composition	1 rail
Quantity per set	Set of 20

Complementary

Material	Galvanised steel
Surface finish	Perforated
Fixing mode	By fixing element - structure of enclosure location
Adjustment	Pitch 25 mm Continuous adjustment
Length	2000 mm
Height	Nominal: 15 mm
Width	Nominal: 35 mm
thickness	1 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.000 cm
Package 1 Width	0.800 cm
Package 1 Length	200.500 cm
Package 1 Weight	1.094 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	4.000 cm
Package 2 Width	8.000 cm

Package 2 Length	200.500 cm
Package 2 Weight	10.948 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	720
Package 3 Height	80.000 cm
Package 3 Width	205.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	812.000 kg

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 7

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation [REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability No need of specific recycling operations

Take-back No