


# Product data sheet

Specifications



One symmetric mounting rail 35x15  
L2000mm type A, Order by Multiples  
of 10 units

NSYSDR200

## Main

Anwendung	Multi-purpose
Range	PanelSeT
Product or component type	Rail
Accessory / separate part category	Mounting accessory
Type of rail	Symmetrical DIN
Enclosure nominal dimensions	-
Range compatibility	PanelSeT
Device composition	1 rail
Quantity per set	Set of 10

## Complementary

Material	Galvanised steel
Surface finish	Not perforated
Fixing mode	By fixing element - structure of enclosure location
Adjustment	Pitch 25 mm Continuous adjustment
Length	2000 mm
Height	Nominal: 15 mm
Width	Nominal: 35 mm
thickness	1.5 mm

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.450 cm
Package 1 Width	9.000 cm
Package 1 Length	201.000 cm
Package 1 Weight	1.350 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	4.500 cm
Package 2 Width	9.000 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Length	201.000 cm
Package 2 Weight	13.500 kg

## Contractual warranty

Warranty	18 months
----------	-----------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

### Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>

### Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No