

# Product data sheet

Specifications



Cover plate, Linergy TR, 2.2mm width, 2 points, for spring terminals NSYTRR22, NSYTRP22, grey, Set of 50

NSYTRACR22

## Main

Range	Linergy
Product name	Linergy TR
Product or component type	Cover plate
Device short name	TRA
Accessory / separate part category	Insulation accessory
Product compatibility	TRR spring terminal terminal block, length = 48.5 mm TRP push-in terminal block, length = 48.5 mm
thickness	2.2 mm

## Complementary

Cable cross section	2.5 mm <sup>2</sup>
number of connections	2
Number of measurement input	2
Quantity per set	Set of 50
Net weight	1.8 g
Colour	Grey

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.300 cm
Package 1 Width	3.000 cm
Package 1 Length	5.000 cm
Package 1 Weight	1.900 g
Unit Type of Package 2	BB1
Number of Units in Package 2	50
Package 2 Height	3.000 cm
Package 2 Width	15.000 cm
Package 2 Length	15.000 cm
Package 2 Weight	102.000 g
Unit Type of Package 3	S03
Number of Units in Package 3	2000

---

<b>Package 3 Height</b>	30.000 cm
<b>Package 3 Width</b>	30.000 cm
<b>Package 3 Length</b>	40.000 cm
<b>Package 3 Weight</b>	4.556 kg

---

## **Contractual warranty**

---

<b>Warranty</b>	18 months
-----------------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>
Halogen-free status	Halogen free plastic parts product
PVC free	Yes
Silicone-free	Yes

### Use Again

 <b>Repack and remanufacture</b>	
Take-back	No