



# SPD 43V 10kA PCB1B Base Included 150mA Operating Current

PC64236

Product availability: Stock - Normally stocked in distribution facility

#### Main

Product	Surge protection module
Range	Surgelogic

## Complementary

36 V DC	
020 MHz	
10 kA	
20 kA	
43 V DC	
5 V	
150 mA	
Lug terminal AWG 10	
Mounting base	
Flat surface	
Direct mounting on base unit	
Base mounting	
2.0 in (50.8 mm)	
2.5 in (63.5 mm)	
1.0 in (25.4 mm)	
0.07 lb(US) (0.03 kg)	

### **Environment**

Ambient Operating	-40185 °F (-4085 °C)	
Operating Altitude	012000 ft	
Operating Humidity	095 %	
Enclosure Rating	Open type	
Standards	III 497R	

### Ordering and shipping details

Category	US1DE1B08466	
Discount Schedule	DE1B	
GTIN	047569001284	

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Returnability	Yes	
Country of origin	MX	

# **Packing Units**

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.50 in (16.5 cm)
Package 1 Width	2.52 in (6.4 cm)
Package 1 Length	4.49 in (11.4 cm)
Package weight(Lbs)	12.8 oz (363 a)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

#### **Use Better**

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Under investigation
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

#### **Use Again**

○ Repack and remanufacture	
Take-back	No