

# Product data sheet

Specifications

SQUARE D



## Load center accessory, QO/ Homeline, ground bar kit, 23 terminals

PK23GTA

Product availability: Stock - Normally stocked in distribution facility

### Main

product line	QO
product type	Bar

### Complementary

Number of connectors	23
wire size	AWG 14...AWG 4 copper AWG 12...AWG 4 aluminium
Provided equipment	2 screw
Bar length	8.1 in (206 mm)
Maximum length of segment	3.1 in (80 mm)
Device mounting	Direct mounting back of enclosure
Height	0.437 in (11.100 mm)
Depth	0.312 in (7.925 mm)
Tightening torque	30 lb.in Mounting screw 30 lb.in 20 lb.in, AWG 14...AWG 10, copper 20 lb.in, AWG 12...AWG 10, aluminium 35 lb.in, AWG 6...AWG 4 25 lb.in, AWG 8 25 lb.in, AWG 14...AWG 12, copper 25 lb.in, AWG 12...AWG 10, aluminium

### Ordering and shipping details

Category	US1DE3A00102
Discount Schedule	DE3A
GTIN	785901026433
Returnability	Yes
Country of origin	US

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.70 in (1.778 cm)
Package 1 Width	4.20 in (10.668 cm)
Package 1 Length	8.20 in (20.828 cm)
Package weight(Lbs)	3.520 oz (99.790 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

<b>Unit Type of Package 2</b>	CAR
<b>Number of Units in Package 2</b>	20
<b>Package 2 Height</b>	6.20 in (15.748 cm)
<b>Package 2 Width</b>	7.30 in (18.542 cm)
<b>Package 2 Length</b>	8.50 in (21.590 cm)
<b>Package 2 Weight</b>	4.700 lb(US) (2.132 kg)
<b>Unit Type of Package 3</b>	PAL
<b>Number of Units in Package 3</b>	2100
<b>Package 3 Height</b>	27.50 in (69.850 cm)
<b>Package 3 Width</b>	40.00 in (101.600 cm)
<b>Package 3 Length</b>	48.00 in (121.920 cm)
<b>Package 3 Weight</b>	493.999 lb(US) (224.074 kg)

## Contractual warranty

<b>Warranty</b>	18 months
-----------------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

### Use Again

 <b>Repack and remanufacture</b>	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

**Dimensions**

---

Image of product / Alternate images

Alternative

---



MFG Model Number  
**PK23GTACP**

  
23 terminal  
Ground Bar Kit for  
use in Square D  
electrical panels

  
Accepts copper  
or aluminum  
wire to feed to  
neutral bar

  
UL listed and  
ANSI Certified



MFG Model Number  
**PK23GTACP**

Compatible products

23 Terminal Ground Bar Kit  
MFG Model Number: PK23GTACP



→  
Compatible with all Square D  
QO/Homeline load centers

