

Product data sheet

Specifications

SQUARE D



Panelboard accessory, NQ, ground bar kit, 12 circuits, 225A max

PK9GTA

Product availability: Stock - Normally stocked in distribution facility

Main

product line	QO
product type	Bar

Complementary

Number of connectors	9
wire size	AWG 14...AWG 10 copper AWG 12...AWG 10 aluminium AWG 8 aluminium/copper AWG 6...AWG 4 aluminium/copper AWG 14...AWG 12
Provided equipment	2 screw
Bar length	3.8 in (96 mm)
Maximum length of segment	3.1 in (80 mm)
Device mounting	Direct mounting back of enclosure
Height	0.437 in (11.100 mm)
Depth	0.312 in (7.925 mm)
Tightening torque	20 lb.in, AWG 14...AWG 10, copper 20 lb.in, AWG 12...AWG 10, aluminium 35 lb.in, AWG 6...AWG 4

Ordering and shipping details

Category	US1DE3A00102
Discount Schedule	DE3A
GTIN	785901026396
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.30 in (0.762 cm)
Package 1 Width	0.85 in (2.159 cm)
Package 1 Length	3.80 in (9.652 cm)
Package weight(Lbs)	1.600 oz (45.359 g)
Unit Type of Package 2	CAR

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Number of Units in Package 2	10
Package 2 Height	4.00 in (10.16 cm)
Package 2 Width	6.50 in (16.51 cm)
Package 2 Length	7.10 in (18.034 cm)
Package 2 Weight	19.360 oz (548.847 g)

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration
California proposition 65	WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions

Image of product / Alternate images

Alternative



MFG Model Number
PK9GTACP


9 terminal Ground Bar Kit for use in Square D electrical panels


Accepts copper or aluminum wire to feed to neutral bar


UL listed and ANSI Certified



0.32 in. 3.77 in. 0.5 in.

MFG Model Number **PK9GTACP**

Compatible products

9 Terminal Ground Bar Kit
MFG Model Number: PK9GTACP



Compatible with all Square D QO/Homeline load centers

