Product data sheet

Specifications

SQUARE D

Load center accessory, QO, 9 terminal bar, 100 pieces, bulk pack

PK9GTABP

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Marketing Trade Name	QO
Product Type	Bar
Type of Packing	Bulk

Complementary

Width	3.8 in (96 mm)

Environment

Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
Product Certifications	UL Listed

Ordering and shipping details

Category	US1DE3A00167
Discount Schedule	DE3A
GTIN	785901760412
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	6.12 in (15.557 cm)
Package 1 Width	6.87 in (17.462 cm)
Package 1 Length	7.62 in (19.367 cm)
Package weight(Lbs)	20.0004 lb(US) (9.072 kg)

Contractual warranty

Warranty	18 months

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Life Is On | Schneider Electric

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained ⟩

How we assess product sustainability ⟩

Environmental footprint

Environmental Disclosure	**Product Environmental Profile**

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant with Exemptions**
REACh Regulation	**REACh Declaration**
California proposition 65	**WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov**

Use Again

Repack and remanufacture

Circularity Profile	**No need of specific recycling operations**
Take-back	**No**

Technical Illustration

Dimensions

Image of product / Alternate images

Alternative

MFG Model Number
PK9GTACP

9 terminal Ground
Bar Kit for use
in Square D
electrical panels

Accepts copper
or aluminum
wire to feed to
neutral bar

UL listed and
ANSI Certified

0.5 in.

0.32 in.

3.77 in.

MFG Model Number	PK9GTACP