

Product data sheet

Specifications

SQUARE D



Enclosed molded case switch, QO, 60A, 2 pole, 240VAC, 22kA, air conditioning, NEMA 3R, nonmetal

QO200TRNM

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	Enclosed molded case switch Weatherproof enclosure
Range of Product	QO

Complementary

Current Rating	60 A
Interrupt Rating	22 kA
Number of Phases	1 phase
Enclosure Rating	NEMA 3R outdoor
Breaker Compatibility	Circuit breaker QO 2P
For Use With	air conditioner
Product Certifications	UL Listed
Indoor/Outdoor Use	Enclosed outdoor
Voltage Rating	240 V AC
Ambient Air Temperature for Operation	104 °F (40 °C)
Height	8.7 in (222 mm)
Width	6.5 in (165 mm)
Depth	3.9 in (99 mm)
Product Weight	1.900 lb(US) (0.862 kg)

Ordering and shipping details

Category	US1DE2A00044
Discount Schedule	DE2A
GTIN	785901328018
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.20 in (10.668 cm)
Package 1 Width	6.80 in (17.272 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	9.60 in (24.384 cm)
Package weight(Lbs)	32.799 oz (929.864 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	10
Package 2 Height	10.30 in (26.162 cm)
Package 2 Width	13.10 in (33.274 cm)
Package 2 Length	20.00 in (50.800 cm)
Package 2 Weight	21.570 lb(US) (9.784 kg)
Unit Type of Package 3	PAL
Number of Units in Package 3	240
Package 3 Height	46.00 in (116.840 cm)
Package 3 Width	40.00 in (101.600 cm)
Package 3 Length	48.00 in (121.920 cm)
Package 3 Weight	517.000 lb(US) (234.507 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	7
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No

Technical Illustration

Dimensions

Technical Illustration

Wiring diagram

Image of product / Alternate images

Alternative

