

Product data sheet

Specifications

SQUARE D



Mini circuit breaker accessory, QO, lug kit, 125A, 2 pole, 2 spaces, subfeed

QO2125SL

Product availability: Stock - Normally stocked in distribution facility

Main

Product Type	Lug kit
Marketing Trade Name	QO
Rated Current	125 A
Number of Spaces	2
Number of Phases	2 phases
Voltage Rating	240 V AC

Complementary

Number of Poles	2
Wire Size	AWG 12...AWG 2/0 copper or aluminium
Product Certifications	CSA cURus
Mounting Mode	Plug-in
Height	3.500 in (88.900 mm)
Width	1.494 in (37.948 mm)
Depth	2.310 in (58.674 mm)

Environment

Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
---------------------------------------	---------------------------------

Ordering and shipping details

Category	US1DE2A00080
Discount Schedule	DE2A
GTIN	785901031154
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.40 in (8.636 cm)
Package 1 Width	3.80 in (9.652 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Length	1.60 in (4.064 cm)
Package weight(Lbs)	9.600 oz (272.155 g)
Unit Type of Package 2	CAR
Number of Units in Package 2	51
Package 2 Height	4.00 in (10.160 cm)
Package 2 Width	14.30 in (36.322 cm)
Package 2 Length	21.40 in (54.356 cm)
Package 2 Weight	31.120 lb(US) (14.116 kg)

Contractual warranty

Warranty	18 months
-----------------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 19

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic Yes

[EU RoHS Directive](#) Compliant

SCIP Number Af42fb01-813d-40c0-ae28-b8b3299dbc99

REACH Regulation [REACH Declaration](#)

Halogen content performance Halogen free product

Use Again

Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No

Image of product / Alternate images

Alternative

