

# Product data sheet

Specifications

SQUARE D



Mini circuit breaker accessory,  
QO, lug kit, 225A, 2 pole, 2  
spaces, subfeed

QO2225SL

Product availability: Stock - Normally stocked in distribution facility

## Main

Product Type	Lug kit
Marketing Trade Name	QO
Rated Current	225 A
Number of Spaces	4
Number of Phases	2 phases
Voltage Rating	120/240 V AC

## Complementary

Number of Poles	4
Wire Size	AWG 4...300 kcmil copper or aluminium
Product Certifications	cURus
Mounting Mode	Plug-in
Height	3.500 in (88.900 mm)
Width	2.988 in (75.895 mm)
Depth	2.310 in (58.674 mm)

## Environment

Ambient Air Temperature for Operation	23 °F (-5 °C) 104 °F (40 °C)
---------------------------------------	---------------------------------

## Ordering and shipping details

Category	US1DE2A00080
Discount Schedule	DE2A
GTIN	785901755708
Returnability	Yes
Country of origin	MX

## Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.60 in (11.684 cm)
Package 1 Width	6.80 in (17.272 cm)
Package 1 Length	7.70 in (19.558 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Package weight(Lbs) 2.361 lb(US) (1.071 kg)

## Contractual warranty

---

Warranty 18 months

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 24

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant

SCIP Number Af42fb01-813d-40c0-ae28-b8b3299dbc99

REACH Regulation [REACH Declaration](#)

Halogen content performance Halogen free product

## Use Again


### Repack and remanufacture

Circularity Profile No need of specific recycling operations

Take-back No

Dimensions Drawings

Approximate Dimensions



Technical Illustration

Dimensions

---

