

# Product data sheet

Specifications

SQUARE D



## Mini circuit breaker, QO, 25A, 3 pole, 120/240VAC, 22kA, bolt on

QOB325VH

Product availability: Stock - Normally stocked in distribution facility

### Main

Product	Miniature circuit-breaker
Range	QO
Current Rating	25 A
Voltage Rating	120/240 V AC 240 V AC 120 V AC
Mounting Type	Bolt-on
Number of Poles	3P
Circuit Breaker Type	Standard
Ratings	HACR rated
Electrical Connection	Pressure plate

### Complementary

Interrupt Rating	22 kA 120/240 V AC 22 kA 240 V AC 22 kA 120 V AC
Number of Panel Spaces	3
Wire Size	AWG 14...AWG 8 copper or aluminium
Tightening Torque	40.7 lbf.in (4.6 N.m)
Height	3.0 in (76 mm)
Width	2.2 in (57 mm)
Depth	2.9 in (74 mm)
Net Weight	0.800 lb(US) (0.363 kg)

### Environment

Certifications	UL Listed CSA
Ambient Rating	104 °F (40 °C)

### Ordering and shipping details

Category	US10DE200015
Discount Schedule	0DE2
GTIN	785901371977
Returnability	Yes

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Country of origin	MX
-------------------	----

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Nbr. of units in pkg.	1
-----------------------	---

---

Package 1 Height	3.00 in (7.620 cm)
------------------	--------------------

---

Package 1 Width	2.20 in (5.588 cm)
-----------------	--------------------

---

Package 1 Length	3.40 in (8.636 cm)
------------------	--------------------

---

Package weight(Lbs)	12.800 oz (362.874 g)
---------------------	-----------------------

---

Unit Type of Package 2	BB1
------------------------	-----

---

Number of Units in Package 2	3
------------------------------	---

---

Package 2 Height	3.90 in (9.906 cm)
------------------	--------------------

---

Package 2 Width	3.90 in (9.906 cm)
-----------------	--------------------

---

Package 2 Length	6.80 in (17.272 cm)
------------------	---------------------

---

Package 2 Weight	2.469 lb(US) (1.120 kg)
------------------	-------------------------

---

Unit Type of Package 3	CAR
------------------------	-----

---

Number of Units in Package 3	36
------------------------------	----

---

Package 3 Height	4.10 in (10.414 cm)
------------------	---------------------

---

Package 3 Width	13.10 in (33.274 cm)
-----------------	----------------------

---

Package 3 Length	19.30 in (49.022 cm)
------------------	----------------------

---

Package 3 Weight	28.499 lb(US) (12.927 kg)
------------------	---------------------------

## Contractual warranty

---

Warranty	18 months
----------	-----------

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

Yes

[EU RoHS Directive](#)

Compliant

SCIP Number

Af42fb01-813d-40c0-ae28-b8b3299dbc99

REACH Regulation

[REACH Declaration](#)

Halogen content performance

Halogen free product

## Use Again

### Repack and remanufacture

Circularity Profile

No need of specific recycling operations


Take-back

No

Technical Illustration

Dimensions

---



Dimensions are approximate. Refer to technical documentation for additional detail.