

Product data sheet

Specifications

SQUARE D



Tandem mini circuit breaker, QO,
1 x 1 pole at 15A, 1 x 1 pole at
20A, 120/240VAC, 10kA, plug in

QOT1520

Product availability: Stock - Normally stocked in distribution facility

Main

Product	Miniature circuit-breaker
Range	QO
Current Rating	20 A 15 A
Voltage Rating	120/240 V AC
Mounting Type	Plug-in
Number of Poles	1P
Circuit Breaker Type	Tandem
Ratings	HACR rated
Electrical Connection	Pressure plate

Complementary

Interrupt Rating	10 kA 120/240 V AC
Number of Panel Spaces	1
Wire Size	AWG 14...AWG 8 copper AWG 12...AWG 8 aluminium
Tightening Torque	24.8 lbf.in (2.8 N.m)
Height	3.2 in (82 mm)
Width	0.7 in (19 mm)
Depth	2.9 in (74 mm)
Net Weight	0.311 lb(US) (0.141 kg)

Environment

Certifications	UL Listed CSA
Ambient Rating	104 °F (40 °C)

Ordering and shipping details

Category	US1DE2A00004
Discount Schedule	DE2A
GTIN	785901418047
Returnability	Yes
Country of origin	MX

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	0.70 in (1.778 cm)
Package 1 Width	3.50 in (8.890 cm)
Package 1 Length	3.30 in (8.382 cm)
Package weight(Lbs)	4.960 oz (140.614 g)
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	3.70 in (9.398 cm)
Package 2 Width	3.60 in (9.144 cm)
Package 2 Length	7.60 in (19.304 cm)
Package 2 Weight	3.320 lb(US) (1.506 kg)
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	8.30 in (21.082 cm)
Package 3 Width	7.70 in (19.558 cm)
Package 3 Length	19.40 in (49.276 cm)
Package 3 Weight	34.020 lb(US) (15.431 kg)

Contractual warranty

Warranty	18 months
----------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle)	18
--	-----------

Environmental Disclosure	Product Environmental Profile
--------------------------	---

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	-----------

Packaging without single use plastic	Yes
--------------------------------------	------------

EU RoHS Directive	Compliant
-----------------------------------	------------------

SCIP Number	Af42fb01-813d-40c0-ae28-b8b3299dbc99
-------------	--------------------------------------

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Halogen content performance	Halogen free product
-----------------------------	-----------------------------

Use Again

Repack and remanufacture

Circularity Profile	No need of specific recycling operations
---------------------	---

Take-back	No
-----------	-----------

Technical Illustration

Dimensions

