

# Product data sheet

Specifications

SQUARE D



Mini circuit breaker, QOU, 50A, 3 pole, 240 VAC, 10kA, ring terminal

QOU3505283

**Product availability:** Non-Stock - Not normally stocked in distribution facility

## Main

Product or Component Type Miniature circuit-breaker

Range of Product QOU

Circuit breaker type Standard

Circuit breaker application HACR rated

## Complementary

Line Rated Current 50 A

Electrical connection ring tongue, line side  
ring tongue, load side

[Ue] rated operational voltage 120/240 V AC  
240 V AC  
120 V AC  
48 V DC

Mounting Mode Unit mount

AWG gauge AWG 14...AWG 2 aluminium/copper

Height 4.05 in (102.87 mm)

Width 2.25 in (57.15 mm)

Depth 2.95 in (74.93 mm)

Tightening torque 45 lbf.in (5.08 N.m) (AWG 14...AWG 2)

## Environment

Product Certifications CSA  
IEC  
UL Listed

## Ordering and shipping details

Category US10DE200900

Discount Schedule 0DE2

GTIN 785901819813

Returnability No

Country of origin MX

## Packing Units

Unit Type of Package 1 PCE

Nbr. of units in pkg. 1

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

---

Package 1 Height	3.30 in (8.382 cm)
Package 1 Width	2.90 in (7.366 cm)
Package 1 Length	4.90 in (12.446 cm)
Package weight(Lbs)	1.160 lb(US) (0.526 kg)

---

## Contractual warranty

---

Warranty	18 months
----------	-----------



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

## Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
<a href="#">EU RoHS Directive</a>	Compliant
SCIP Number	Af42fb01-813d-40c0-ae28-b8b3299dbc99
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	<b>WARNING:</b> This product can expose you to chemicals including: Cadmium and cadmium compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="#">www.P65Warnings.ca.gov</a>
Halogen content performance	Halogen free product

## Use Again

### Repack and remanufacture

Circularity Profile	No need of specific recycling operations
Take-back	No

## Technical Illustration

## Dimensions

