

# Product data sheet

Specifications

SQUARE D



Connection accessory,  
PowerPacT R, terminal pad kit,  
3000A, 3 pole

RL3TB

Product availability: Non-Stock - Not normally stocked in distribution facility

## Main

Range of Product PowerPacT R

## Complementary

Tightening torque  
177.01 lbf.in (20 N.m)  
601.8 lbf.in (68 N.m)  
177.01 lbf.in (20 N.m)

## Ordering and shipping details

Category US10DE201250

Discount Schedule 0DE2

GTIN 785901854494

Returnability No

Country of origin US

## Packing Units

Unit Type of Package 1 PCE

Nbr. of units in pkg. 1

Package weight(Lbs) 35.0006 lb(US) (15.876 kg)

## Contractual warranty

Warranty 18 months

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better


|  <b>Materials and Substances</b> |  |
|---|--|
| Packaging made with recycled cardboard  | Yes  |
| Packaging without single use plastic  | No   |
| <a href="#">EU RoHS Directive</a>   | Compliant with Exemptions  |
| REACH Regulation  | <a href="#">REACH Declaration</a>  |
| California proposition 65   | <b>WARNING: Cancer and Reproductive Harm -</b><br><a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |
| Halogen content performance   | <b>Halogen free plastic parts product</b>  |
| PVC free  | Yes  |

### Use Again

|  <b>Repack and remanufacture</b> |    |
|---|----|
| Take-back   | No |

Technical Illustration

Dimensions



in. [mm]

ALL DIMENSIONS ARE APPROXIMATE.  
REFER TO TECHNICAL DRAWINGS AND DOCUMENTATION FOR COMPLETE INFORMATION.