Product data sheet

Specifications

SQUARE D

Trip unit, PowerPact P, R, with rating plug, Micrologic 5.0, LSI protection

S133A

Product availability: Stock - Normally stocked in distribution facility

Main

Product name	MicroLogic
Product or Component Type	Trip unit
Trip unit technology	Electronic
Circuit breaker type	P-frame R-Frame
Provided equipment	rating plug

Complementary

Trip unit name	MicroLogic 5.0
Trip unit protection functions	LSI
Type of Installation	Field installable
Tightening torque	7.08 lbf.in (0.8 N.m)
Height	7.85 in (199.39 mm)
Width	2.11 in (53.59 mm)
Depth	2.88 in (73.15 mm)

Environment

Product Certifications	UL Listed CSA

Ordering and shipping details

Category	US1DE2F01290
Discount Schedule	DE2F
GTIN	785901686002
Returnability	Yes
Country of origin	US

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.80 in (9.652 cm)
Package 1 Width	5.60 in (14.224 cm)
Package 1 Length	12.80 in (32.512 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Life Is On | **Schneider Electric**

Package weight(Lbs)	16.480 oz (467.200 g)

Contractual warranty

Warranty	18 months

Life Is On | Schneider Electric

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained 〉

How we assess product sustainability 〉

Use Better

Materials and Substances

Packaging made with recycled cardboard	**Yes**
Packaging without single use plastic	**No**
EU RoHS Directive	**Compliant with Exemptions**
SCIP Number	**6ac3934d-9e20-40a3-adef-08cec90e29e2**
REACh Regulation	**REACh Declaration**
California proposition 65	**WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov**
PVC free	**Yes**

Use Again

Repack and remanufacture

Take-back	**No**