

# Product data sheet

Specifications

SQUARE D



## Micrologic trip unit, PowerPacT P, R, circuit breaker, 5.0A Ammeter, LSI

S143A

**Product availability: Stock - Normally stocked in distribution facility**

### Main

Product name	MicroLogic
Product or Component Type	Trip unit
Trip unit technology	Electronic
Circuit breaker type	P-frame R-Frame
Provided equipment	rating plug

### Complementary

Trip unit name	MicroLogic 5.0 A
Trip unit protection functions	LSI
Type of Measurement	Ammeter
Type of Installation	Field installable
Tightening torque	7.08 lbf.in (0.8 N.m)

### Environment

Product Certifications	CSA UL Listed
------------------------	------------------

### Ordering and shipping details

Category	US1DE2F01290
Discount Schedule	DE2F
GTIN	785901560715
Returnability	Yes
Country of origin	US

### Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.60 in (9.144 cm)
Package 1 Width	6.00 in (15.240 cm)
Package 1 Length	13.00 in (33.020 cm)
Package weight(Lbs)	16.960 oz (480.808 g)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

# Contractual warranty

---

Warranty

18 months

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
SCIP Number	6ac3934d-9e20-40a3-edef-08cec90e29e2
REACH Regulation	<a href="#">REACH Declaration</a>
California proposition 65	WARNING: Cancer and Reproductive Harm - <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
PVC free	Yes

### Use Again

 <b>Repack and remanufacture</b>	
Circularity Profile	No need of specific recycling operations
Removable battery	User replaceable
Take-back	No