



SPD, Surgelogic, 120kA, 208Y/ 120VAC, 3 phase, 4 wire, SPD type 1

SSP02SBA12D

Product availability: Stock - Normally stocked in distribution facility

Main

Product	Surge protection device
Range	Surgelogic

Complementary

Voltage Rating	208Y/120 V AC	
MCOV	150 V	
SCCR	200 kA	
Surge Current	120 kA per phase	
Voltage Protection Rating	600 V N - G 700 V L-N 700 V L - G 1000 V L - L	
Number of Phases	3 phase	
Wiring Configuration	4-wire	
Type of Packing	Вох	
Height	4.40 in (111.76 mm)	
Width	17.90 in (454.66 mm)	
Depth	6.90 in (175.26 mm)	
Weight	8.09 lb(US) (3.67 kg)	

Environment

Enclosure Rating NEMA 1

Ordering and shipping details

Category	US1DE1B08470
Discount Schedule	DE1B
GTIN	785901775294
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	4.40 in (11.18 cm)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Package 1 Width	6.90 in (17.53 cm)	
Package 1 Length	17.90 in (45.47 cm)	
Package weight(Lbs)	7.5 lb(US) (3.4 kg)	



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture	
Take-back	No

Image of product / Alternate images

Alternative

