

# Product data sheet

Specifications



## graphic display terminal, Altivar, 240 x 160pixels, IP65

VW3A1111

**Product availability: Stock - Normally stocked in distribution facility**

### Main

<b>Range of Product</b>	Altivar
<b>Range Compatibility</b>	Altivar Process ATV900 Altivar Process ATV600 Altivar Machine ATV340
<b>Accessory / separate part category</b>	Display and signalling accessories
<b>Accessory / Separate Part Type</b>	Display terminal
<b>Accessory / separate part destination</b>	Variable speed drive
<b>Product Specific Application</b>	To control, adjust and configure the drive To save and download configurations To display the current values
<b>IP Degree of Protection</b>	IP65

### Complementary

<b>User Language</b>	Spanish Romanian Turkish Polish Swedish Estonian Bulgarian English Russian Greek Danish Hungarian Chinese Norwegian Lithuanian French Brazilian German Korean Portuguese Finnish Czech Slovak Taiwanese Dutch Italian Ukrainian
<b>Realtime clock</b>	Built-in
<b>Battery Size</b>	CR2032
<b>Battery life</b>	10 year(s)
<b>Display type</b>	Backlit LCD screen white and red
<b>Messages display capacity</b>	8 lines
<b>Pixel resolution</b>	240 x 160

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

---

Net Weight	0.4 lb(US) (0.2 kg)
------------	---------------------

## Environment

---

Ambient Air Temperature for Operation	5...140 °F (-15...60 °C)
---------------------------------------	--------------------------

## Ordering and shipping details

---

Category	US1CP4E22205
----------	--------------

Discount Schedule	CP4E
-------------------	------

GTIN	3606480702235
------	---------------

Returnability	Yes
---------------	-----

Country of origin	ID
-------------------	----

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

Nbr. of units in pkg.	1
-----------------------	---

Package 1 Height	2.28 in (5.800 cm)
------------------	--------------------

Package 1 Width	5.51 in (14.000 cm)
-----------------	---------------------

Package 1 Length	7.40 in (18.800 cm)
------------------	---------------------

Package weight(Lbs)	10.018 oz (284.000 g)
---------------------	-----------------------

Unit Type of Package 2	S03
------------------------	-----

Number of Units in Package 2	20
------------------------------	----

Package 2 Height	11.81 in (30.000 cm)
------------------	----------------------

Package 2 Width	11.81 in (30.000 cm)
-----------------	----------------------

Package 2 Length	15.75 in (40.000 cm)
------------------	----------------------

Package 2 Weight	14.330 lb(US) (6.500 kg)
------------------	--------------------------

Unit Type of Package 3	P06
------------------------	-----

Number of Units in Package 3	80
------------------------------	----

Package 3 Height	17.72 in (45.000 cm)
------------------	----------------------

Package 3 Width	23.62 in (60.000 cm)
-----------------	----------------------

Package 3 Length	31.50 in (80.000 cm)
------------------	----------------------

Package 3 Weight	72.259 lb(US) (32.776 kg)
------------------	---------------------------



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 104

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic Yes

[EU RoHS Directive](#) Pro-active compliance (Product out of EU RoHS legal scope)

SCIP Number Cd0eb1b0-0b52-4d45-90f6-4bd8d825785f

REACH Regulation [REACH Declaration](#)

California proposition 65 **WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)**

PVC free Yes

## Use Again

### Repack and remanufacture

Circularity Profile [End of Life Information](#)

Take-back No

Image of product / Alternate images

Alternative

---





