



Color: ■ black

Similar to illustration

Notes	
Safety Information	Push down the wire jumper until fully inserted!

Electrical data	
Ratings per IEC/EN	
Nominal voltage (III/3)	800 V
Rated impulse withstand voltage (III / 3)	8 kV
Rated current	18 A

Connection Data	
Connection 1	
Solid conductor	1.5 mm²

Mechanical data	
Cable length of push-in type wire jumpers	250 mm



Material data	
Note (material data)	Information on material specifications can be found here
Color	black
Fire load	0.004 MJ
Weight	5.6 g

Commercial data	
Product Group	2 (Terminal Block Accessories)
PU (SPU)	100 (10) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454302252
Customs tariff number	85444290900

Product Classification	
UNSPSC	39121421
eCl@ss 10.0	27-14-11-40
eCl@ss 9.0	27-14-11-40
ETIM 9.0	EC000489
ETIM 10.0	EC000489
ECCN	NO US CLASSIFICATION

Environmental Product Compliance	
RoHS Compliance Status	Compliant,No Exemption

Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 2009-416	


Documentation			
Bid Text			
2009-416	19.02.2019	xml 2.77 KB	
2009-416	28.04.2017	doc 24.00 KB	

CAD/CAE-Data

CAE data	
EPLAN Data Portal 2009-416	
WSCAD Universe 2009-416	

Installation Notes

Commoning



Push down the wire jumper until fully inserted. Lift the jumper with an operating tool for rewiring.

Commoning



Push-in type wire jumpers common terminal blocks over longer distances and across multiple levels.