





## Data Sheet | Item Number: 221-2521

Mounting carrier; 1-way; for inline splicing connector with lever; for screw mounting;  
gray

<https://www.wago.com/221-2521>



Color: ■ gray



| Physical data                                                  |                        |
|----------------------------------------------------------------|------------------------|
| Width                                                          | 11.8 mm / 0.465 inches |
| Height from the surface                                        | 6.5 mm / 0.256 inches  |
| Depth                                                          | 56 mm / 2.205 inches   |
| Drilled hole diameter for snap-in mounting foot with tolerance | 3.5 mm                 |

| Mechanical data |             |
|-----------------|-------------|
| Design          | 1-way       |
| Mounting type   | Screw mount |

| Material data        |                                                                          |
|----------------------|--------------------------------------------------------------------------|
| Note (material data) | <a href="#">Information on material specifications can be found here</a> |
| Color                | gray                                                                     |
| Fire load            | 0.05 MJ                                                                  |
| Weight               | 1.7 g                                                                    |

| Commercial data       |               |
|-----------------------|---------------|
| ETIM 9.0              | EC002848      |
| ETIM 8.0              | EC002848      |
| PU (SPU)              | 25 (5) pcs    |
| Packaging type        | Box           |
| Country of origin     | CN            |
| GTIN                  | 4066966119923 |
| Customs tariff number | 39269097900   |

| Environmental Product Compliance |                        |
|----------------------------------|------------------------|
| RoHS Compliance Status           | Compliant,No Exemption |

Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 221-2521

↓

CAD/CAE-Data

CAD data

2D/3D Models 221-2521

↓

CAE data

EPLAN Data Portal 221-2521

↓

ZUKEN Portal 221-2521

↓

1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Mounting accessories



**Item No.: 209-119**  
Fixing screw; for 209-120 mounting carrier



**Item No.: 209-123**  
Mounting foot with screw; can be screwed on terminal blocks with fixing flange; 6.4 mm wide; gray



**Item No.: 209-120**  
Mounting foot; can be snapped on terminal blocks with snap-in mounting foot; for mounting on relay-modules; 6.4 mm wide; gray

1.1.2 Marking


1.1.2.1 Marking strip




**Item No.: 210-834**  
Marking strips; on reel; 5 mm wide; plain; Self-adhesive; white

Installation Notes

Installation



Place the inline splicing connector on the carrier in front of the mounting position.



Push the connector to the center position until it snaps into place.




Mounting carrier without strain relief – snapped onto DIN-rail



Various combinations of 1- to 5-connector mounting carriers are possible via side-by-side latching mechanism.

Strain relief



3-pole mounting carrier with strain relief

