

WIL-SCHWENKHALTER**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



Swivel bracket for WIL lights Very high quality version
without detent

General ordering data

Type	WIL-SCHWENKHALTER
Order No.	2614220000
GTIN (EAN)	4050118651249
Qty.	1 pc(s).

WIL-SCHWENKHALTER**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

Technical data**Dimensions and weights**

Width	32.5 mm	Width (inches)	1.28 inch
Height	26.7 mm	Height (inches)	1.051 inch
Depth	20 mm	Depth (inches)	0.787 inch
Net weight	0.138 g		

Temperatures

Operating temperature, max.	60 °C	Operating temperature, min.	-30 °C
Operating temperature	-30 - 60°C		

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Material data

Housing main material	Brass, nickel-plated
-----------------------	----------------------

Classifications

ETIM 6.0	EC002955	ETIM 7.0	EC002955
eClass 9.0	27-11-92-90	eClass 9.1	27-11-92-90
eClass 10.0	27-11-92-90		

Approvals

ROHS	Conform
------	---------

Downloads

Engineering Data	STEP
------------------	----------------------

WIL-SCHWENKHALTER

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

