


**CC-FO 15/27 MM SI****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Standard included: CC**

Our systematically matching product range includes labels for identifying standardised components, as well as all-purpose and familiar formats such as the CC 85/54 marker for nameplates.

**Your benefits with MultiMark**

- “Different materials for various requirements”
- Can be used with equipment from many manufacturers
- Device markers with a familiar design

**General ordering data**

|                    |                                                       |
|--------------------|-------------------------------------------------------|
| Version            | ClipCard, Device markers, 15 x 27 mm, grey            |
| Order No.          | <a href="#">2621390000</a>                            |
| Type               | CC-FO 15/27 MM SI                                     |
| GTIN (EAN)         | 4050118625653                                         |
| Qty.               | 500 pc(s).                                            |
| compatible printer | <a href="#">2599430000</a> <a href="#">2599440000</a> |

## CC-FO 15/27 MM SI

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |         |                 |            |
|------------|---------|-----------------|------------|
| Depth      | 0.55 mm | Depth (inches)  | 0.022 inch |
| Height     | 15 mm   | Height (inches) | 0.591 inch |
| Width      | 27 mm   | Width (inches)  | 1.063 inch |
| Net weight | 0.2 g   |                 |            |

## Temperatures

|                             |             |
|-----------------------------|-------------|
| Operating temperature range | -30...80 °C |
|-----------------------------|-------------|

## General data

|                                   |                               |                                   |         |
|-----------------------------------|-------------------------------|-----------------------------------|---------|
| Adhesive                          | PE-foam with acrylic adhesive | Approval acc. to UL 969           | Yes     |
| Colour                            | grey                          | Halogen                           | No      |
| Material                          | Polyester                     | Number per roll                   | 500     |
| Operating temperature range       | -30...80 °C                   | Operating temperature range, max. | 80 °C   |
| Operating temperature range, min. | -30 °C                        | Printed characters                | without |
| Size of labelling field           | 15 x 27 mm                    | UL 94 flammability rating         | V-0     |
| Version                           | Self-adhesive, halogen-free   | Width                             | 27 mm   |

## Device markers

|         |    |
|---------|----|
| Halogen | No |
|---------|----|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0    | EC001288    |
| ETIM 8.0    | EC001288    | ETIM 9.0    | EC001288    |
| ETIM 10.0   | EC001288    | ECLASS 9.0  | 27-40-06-29 |
| ECLASS 9.1  | 27-40-06-29 | ECLASS 10.0 | 27-40-06-29 |
| ECLASS 11.0 | 27-28-11-04 | ECLASS 12.0 | 27-28-11-04 |
| ECLASS 13.0 | 27-28-11-04 | ECLASS 14.0 | 27-28-11-04 |
| ECLASS 15.0 | 27-28-11-04 |             |             |

## Environmental Product Compliance

|                        |                             |
|------------------------|-----------------------------|
| RoHS Compliance Status | Compliant without exemption |
| REACH SVHC             | No SVHC above 0.1 wt%       |

## Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|            |                                          |
|------------|------------------------------------------|
| Catalogues | <a href="#">Catalogues in PDF-format</a> |
|------------|------------------------------------------|

### CC-FO 15/27 MM SI

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

