

**PZ 6 ROTO ADJ****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)**Crimping tools for wire end ferrules, with and without plastic collars**

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation

**General ordering data**

|                   |                                                                                                                |
|-------------------|----------------------------------------------------------------------------------------------------------------|
| Version           | 0.14mm <sup>2</sup> , 6mm <sup>2</sup> , Trapezoidal crimp                                                     |
| Order No.         | <a href="#">2831380000</a>                                                                                     |
| Type              | PZ 6 ROTO ADJ                                                                                                  |
| GTIN (EAN)        | 4064675415909                                                                                                  |
| Qty.              | 1 pc(s).                                                                                                       |
| Replacement parts | <a href="#">2561810000</a> <a href="#">9202810000</a> <a href="#">9054820000</a><br><a href="#">2566680000</a> |

**PZ 6 ROTO ADJ****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Technical data****Dimensions and weights**

|            |        |                 |            |
|------------|--------|-----------------|------------|
| Depth      | 22 mm  | Depth (inches)  | 0.866 inch |
| Height     | 80 mm  | Height (inches) | 3.15 inch  |
| Width      | 200 mm | Width (inches)  | 7.874 inch |
| Net weight | 425 g  |                 |            |

**Technical data**

|                        |                  |         |                                              |
|------------------------|------------------|---------|----------------------------------------------|
| Description of article | (1)Crimping tool | Version | Mechanical, without inter-changeable inserts |
|------------------------|------------------|---------|----------------------------------------------|

**Description of contact**

|                                   |                                                    |                                   |                      |
|-----------------------------------|----------------------------------------------------|-----------------------------------|----------------------|
| Conductor cross-section, max. AWG | AWG 10                                             | Conductor cross-section, min. AWG | AWG 26               |
| Crimping range, max.              | 6 mm <sup>2</sup>                                  | Crimping range, min.              | 0.14 mm <sup>2</sup> |
| Type of contact                   | Wire-end ferrules with/<br>without plastic collars |                                   |                      |

**tool data crimping**

|                                       |                   |       |            |
|---------------------------------------|-------------------|-------|------------|
| Crimping type/profile                 | Trapezoidal crimp | Drive | mechanical |
| Wire end ferrules cross-section, max. | 6 mm <sup>2</sup> |       |            |

**Classifications**

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000168    | ETIM 7.0    | EC000168    |
| ETIM 8.0    | EC000168    | ETIM 9.0    | EC000168    |
| ECLASS 9.0  | 21-04-38-11 | ECLASS 9.1  | 21-04-38-11 |
| ECLASS 10.0 | 21-04-38-11 | ECLASS 11.0 | 21-04-38-11 |
| ECLASS 12.0 | 21-04-38-11 | ECLASS 13.0 | 21-04-38-11 |
| ECLASS 14.0 | 21-04-38-11 |             |             |

**Environmental Product Compliance**

|                        |                                      |
|------------------------|--------------------------------------|
| RoHS Compliance Status | Not affected                         |
| REACH SVHC             | Lead 7439-92-1                       |
| SCIP                   | 2159813b-98fd-4068-b62a-bc89a046c012 |

**Downloads**

|                  |                                          |
|------------------|------------------------------------------|
| Engineering Data | <a href="#">CAD data – STEP</a>          |
| Catalogues       | <a href="#">Catalogues in PDF-format</a> |

### PZ 6 ROTO ADJ

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

