

**AM 35****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)

Sheathing stripper for PVC cables

**General ordering data**

|            |                            |
|------------|----------------------------|
| Version    | Tools, Sheathing strippers |
| Order No.  | <a href="#">9001080000</a> |
| Type       | AM 35                      |
| GTIN (EAN) | 4008190208011              |
| Qty.       | 1 pc(s).                   |

## AM 35

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |          |                 |            |
|------------|----------|-----------------|------------|
| Depth      | 33 mm    | Depth (inches)  | 1.299 inch |
| Height     | 174 mm   | Height (inches) | 6.85 inch  |
| Width      | 53 mm    | Width (inches)  | 2.087 inch |
| Net weight | 127.73 g |                 |            |

## Technical data

|                        |                                                  |
|------------------------|--------------------------------------------------|
| Description of article | Sheathing stripper for up to 35mm outer diameter |
|------------------------|--------------------------------------------------|

## Stripping tools

|                               |                     |                               |                         |
|-------------------------------|---------------------|-------------------------------|-------------------------|
| Cable type                    | PVC round cable     | Conductor cross-section, max. | 962 mm <sup>2</sup>     |
| Conductor cross-section, min. | 490 mm <sup>2</sup> | Cut depth                     | adjustable up to 4.5 mm |
| Max. conductor diameter       | 35 mm               | Min. conductor diameter       | 25 mm                   |

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC000163    | ETIM 7.0    | EC000163    |
| ETIM 8.0    | EC000163    | ETIM 9.0    | EC000163    |
| ETIM 10.0   | EC000163    | ECLASS 9.0  | 21-04-90-90 |
| ECLASS 9.1  | 21-04-37-06 | ECLASS 10.0 | 21-04-90-90 |
| ECLASS 11.0 | 21-04-90-90 | ECLASS 12.0 | 21-04-90-90 |
| ECLASS 13.0 | 21-04-90-90 | ECLASS 14.0 | 21-04-90-90 |
| ECLASS 15.0 | 21-04-90-90 |             |             |

## Environmental Product Compliance

|                        |                                      |
|------------------------|--------------------------------------|
| RoHS Compliance Status | Not affected                         |
| REACH SVHC             | Lead 7439-92-1                       |
| SCIP                   | cf06c250-ed1e-4a45-9c1b-c5c8cbf13bf0 |

## Downloads

|                    |                                          |
|--------------------|------------------------------------------|
| User Documentation | <a href="#">Manual</a>                   |
| Catalogues         | <a href="#">Catalogues in PDF-format</a> |
| Brochures          |                                          |

## AM 35

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

### Example of use



### Example of use

