


HBTSTRUCTURE: A COMPUTER PROGRAM FOR DESIGNING HOLLOW BOX TEE CONCRETE BEAMS

W

M-13509

1



## NOTES:

1. 12" TRAYS OR SMALLER USE 2 CLIPS PER STRUT SUPPORT
2. 16"-18" TRAYS USE 3 CLIPS PER SUPPORT
3. LARGER TRAYS ADD ONE CLIP PER STRUT SUPPORT FOR  
EVERY 6" OF TRAY WIDTH
4. USED TO HOLD DOWN THE BASKET TRAY WHEN USED  
WITH STANDARD INDUSTRY STRUT SUPPORTS

CATALOG NO. HBTSTRUTCLIP  
(NOT SHOWN TO SCALE)

1	INITIAL DOCUMENT RELEASE PER DCN 22750	DDL	11/15/16
REV	DESCRIPTION	APP	DATE

THE DESIGN AND DIMENSIONS OF THE  
PRODUCT SHOWN ON THIS DRAWING ARE  
SUBJECT TO CHANGE WITHOUT NOTICE.  
DIMENSIONS ARE IN INCHES [mm].

**TITLE**

## STRUT CLIP



WIRING DEVICE-KELLEMS  
HUBBELL INCORPORATED  
SHELTON, CT

TOLERANCES UNLESS OTHERWISE SPECIFIED  .XX = $\pm$ .01 .XXX = $\pm$ .005 ANGLE TOL. $\pm$ 2'	DR. BY BJ	SCALE NONE
	CHK. BY MN	DATE 08/16/16