

Technical drawing of a control panel assembly. The panel has a rectangular frame with a central circular cutout. The top half of the panel is labeled 'ON' and the bottom left half is labeled 'OFF'. A handle is attached to the bottom right side of the panel. The panel is mounted on a base with four legs. A cover is shown attached to the bottom left leg. A jog switch is located on the base. The drawing includes the following dimensions:

- Total width: 7.27 [184.72]
- Width of the panel frame: 6.50 [165.10]
- Total height: 10.85 [275.54]
- Height of the panel frame: 9.08 [230.51]

Labels in the drawing:

- ON
- OFF
- COVER
- JOG SW.
- (4) COVER SCREWS

NOTES UNLESS OTHERWISE SPECIFIED:

1. DIMENSIONS SHOWN ARE IN INCHES.
2. ENCLOSURE TYPE 4X, 12.
3. cULus LISTED.
4. NSF CERTIFIED AND IP69K RATING.

CATALOG NO.'S	REPLACEMENT COVER FOR
HBLDS60RCJ	HBLDS60/HBLDS60AC
HBLDS100RCJ	HBLDS100/HBLDS100AC

DIMENSIONS IN INCHES (mm)

1	NEW RELEASE PER DCN 240116036057	TAB	10/25/23
REV	DESCRIPTION	APP	DATE

THE DESIGN AND DIMENSIONS OF THE
PRODUCT SHOWN ON THIS DRAWING ARE
SUBJECT TO CHANGE WITHOUT NOTICE.
DIMENSIONS ARE IN INCHES [mm].

TITLE



WIRING DEVICE-KELLEMS
HUBBELL INCORPORATED
SHELTON, CT

TOLERANCES UNLESS OTHERWISE SPECIFIED XX = $\pm .01$ XXX = $\pm .005$ ANGLE TOL. $\pm 2^\circ$		DR. BY	VMK	SCALE	1:2
		CHK. BY	TAB	DATE	10/10/23

2

M-14739

1