

Eaton XDT1A15X

Catalog Number: XDT1A15X

Eaton Crouse-Hinds series XDT dry-type transformer, 60 Hz, 15 kVA, 316 stainless steel, Single-phase, 480 Vac, 120/240 Vac, Copper windings, Resin encapsulated

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series XDT dry-type transformer	XDT1A15X
	UPC 662276445024
Product Length/Depth	Product Height
16.7 in	17.7 in
Product Width	Product Weight
11.9 in	320 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 2

NEMA Rating

4X

Product specifications

Type

Resin encapsulated

Phase

Single-phase

Primary voltage

480 Vac

Secondary Voltage

120 Vac/240 Vac

Frequency rating

60 Hz

Material

316 stainless steel

Special features

Copper windings

Resources

3D models

[SP3D Design Package - XDT and XTT Hazardous Area Transformers](#)

Catalogs

[XDT and XTT Hazardous Area Transformers catalog page](#)

Certification reports

[XDT and XTT Hazardous Area Transformers Canadian certification](#)

[XDT and XTT Hazardous Area Transformers UL certification](#)

Installation instructions

[IF XDT - XDT Series Hazardous Area Transformers](#)

[XDT and XTT Hazardous Area Transformers Flyer](#)

Specifications and datasheets

[Eaton Specification Sheet - XDT1A15X](#)

[XDT Hazardous Area Transformers](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)